L Number	Hits	Search Text	DB	Time stamp
- NUMBER	70	x.121	USPAT; EPO; JPO;	2002/10/01 15:33
_	11	x.121.bsum.	DERWENT; IBM_TDB USPAT;	2002/10/01
_	1	((configuration near4 table) and	EPO; JPO; DERWENT; IBM_TDB USPAT;	15:26 2002/10/01
_		(database and (mib (management adj informaiotn adj base))) and ((mac (media adj access adj control)) near10 address\$4)) and (dns (domain adj name adj	EPO; JPO; DERWENT; IBM_TDB	17:03
-	0	<pre>(server system))) (configuration near4 table) and (database and (mib (management adj information adj base))) and x.121</pre>	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/10/01 17:04
-	0	x.121 and (configuration near4 table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/01 17:04
-	41		USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/02 17:17
-	7905	configuration near4 table	USPĀT; EPO; JPO; DERWENT; IBM_TDB	2002/10/02 09:39
-	132	(dns (domain adj name adj (server system))) and (configuration near4 table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/02
-	2	<pre>(dns (domain adj name adj (server system))) and ((configuration near4 table) same (sourc\$4 near10 address\$4))</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/02 16:36
-	2	<pre>((dns (domain adj name adj (server system))) and ((configuration near4 table) same (sourc\$4 near10 address\$4))) and ((configuration near4 table) same (sourc\$4 near10 address\$4))</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/02 09:43
-	357		USPAT; EPO; JPO; DERWENT; IBM TDB	2002/10/02 10:03
-	4	<pre>(revers\$4 adj3 domain adj name adj (server system))</pre>	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/10/02 10:04
-	366	address\$4 and (nam\$4 adj2 (look lookup look-up))	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/10/03 09:41
-	100	address\$4 same (nam\$4 adj2 (look lookup look-up))	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/10/02 15:39
-	714	address\$4 near10 conver\$6 near10 nam\$4	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/10/02 15:44
-	16375	dns (domain adj name adj (server system)) (domain near3 nam\$4)	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/10/03 09:41

		•		
-	31	(configuration near4 table) and (database and (mib (management adj informaiotn adj	USPAT; EPO; JPO;	2002/10/02
		base))) and ((mac (media adj access adj	DERWENT;	13.37
		control)) near10 address\$4)	IBM_TDB	
_	6	(address\$4 same (nam\$4 adj2 (look lookup look-up))) and (address\$4 near10 conver\$6	USPAT; EPO; JPO;	2002/10/02
		near10 nam\$4)	DERWENT;	
	_		IBM_TDB	0000 /10 /00
_	3	(address\$4 same (nam\$4 adj2 (look lookup look-up))) and (address\$4 near10 conver\$6	USPAT; EPO; JPO;	2002/10/02
		near10 nam\$4) and (sourc\$4 near10	DERWENT;	13.10
		address\$4)	IBM_TDB	
_	241	(address\$4 near10 conver\$6) adj10 nam\$4	USPAT; EPO; JPO;	2002/10/02
			DERWENT;	
			IBM_TDB	0000 (10 (00
_	48	(dns (domain adj name adj (server system)) (domain near3 nam\$4)) and	USPAT; EPO; JPO;	2002/10/02 16:55
		((address\$4 near10 conver\$6) adj10 nam\$4)	DERWENT;	25.50
			IBM_TDB	2002/10/02
-	1	(dns (domain adj name adj (server system)) (domain near3 nam\$4)) and	USPAT; EPO; JPO;	2002/10/02 15:48
		((address\$4 near10 conver\$6) adj10 nam\$4)	DERWENT;	20000
		and ((mac (media adj access adj control))	IBM_TDB	
	2	near10 address\$4) ((address\$4 near10 conver\$6) adj10 nam\$4)	USPAT;	2002/10/02
	_	and ((mac (media adj access adj control))	EPO; JPO;	15:48
		near10 address\$4)	DERWENT;	
_	7	(address\$4 same (nam\$4 adj2 (look lookup	IBM_TDB USPAT;	2002/10/02
		look-up))) and ((mac (media adj access	EPO; JPO;	16:05
		adj control)) near10 address\$4)	DERWENT; IBM TDB	
_	104		USPAT;	2002/10/02
		system))) and (((configuration address\$4	EPO; JPO;	16:42
		rout\$4) near4 table) same (sourc\$4 near10 address\$4))	DERWENT; IBM TDB	
_	100	(dns (domain adj name adj system)) and	USPAT;	2002/10/02
		(((configuration address\$4 rout\$4) near4	EPO; JPO;	16:44
		table) same (sourc\$4 near10 address\$4))	DERWENT; IBM TDB	
-	57		USPĀT;	2002/10/02
		(((address\$4) near4 table) same (sourc\$4 near10 address\$4))	EPO; JPO;	16:45
		(sourcs4 hearin address54))	DERWENT; IBM TDB	
-	15		USPĀT;	2002/10/03
		and ((configuration address\$4 rout\$4) near4 table)	EPO; JPO; DERWENT;	08:43
		Healf table;	IBM TDB	
-	11		USPAT;	2002/10/03
		<pre>and ((configuration address\$4 rout\$4) near4 table) and nam\$4</pre>	EPO; JPO; DERWENT;	09:04
			IBM_TDB	
-	5		USPAT;	2002/10/03
		<pre>address\$4) and ((configuration address\$4 rout\$4) near4 table)</pre>	EPO; JPO; DERWENT;	08:46
			IBM_TDB	
-	6	(x.121 and ((stor\$4 sav\$4) same	USPAT;	2002/10/03
		address\$4) and ((configuration address\$4 rout\$4) near4 table) and nam\$4) not	EPO; JPO; DERWENT;	09:04
		(x.121 and (nam\$4 same (stor\$4 sav\$4)	IBM_TDB	
		<pre>same address\$4) and ((configuration address\$4 rout\$4) near4 table))</pre>		
-	2659	(mac (media adj access adj control))	USPAT;	2002/10/03
		near10 address\$4	EPO; JPO;	09:29
			DERWENT; IBM TDB	
-	493	address\$4 and wildcard	USPAT;	2002/10/03
			EPO; JPO;	09:42
			DERWENT; IBM TDB	
				I

9 (address\$4) and (ilacaf) and (imac (media al) address\$4) and (inam\$4 address\$4) same (stor\$4 sav\$4) same table) 10 (imac (media ad) access ad) control) (stor\$4 sav\$4) same table) (stor\$4 sav\$4) same (st					
address\$4) and ((nam\$4' address\$4') same (stor\$4 sav\$4') same table)	-	9	(address\$4 and wildcard) and ((mac (media	1	2002/10/03
(stor\$4 sav\$4) same table)					09:49
1 (mac (media adj access adj control)) 09:49 09:					
near10 address\$4) and ((nam\$4) same (stor\$4 sav\$4) same table)		0.1			2002/10/03
Stor34 sav\$4) same table DERWENT; IBM TDB USPAT; informaiotn adj base) SPO; JPO; DERWENT; informaiotn adj base) SPO; JPO; DERWENT; informaiotn adj base) SPO; JPO; DERWENT; and (nam4) same (adtabase and (mib (management adj informaiotn adj base))) SPAT; S	_	91	((mac (media ad) access ad) control))		1
See					09.49
S64 database and (mib (management adj informaiotn adj base) SPĀT; S002/10/03 SPĀT;			(Stoly Savy) Same table)		
Information adj base)	_	564	database and (mib (management adi	_	2002/10/03
15					
15			, ,,,		
near10 address\$4) and (database and (mib (management ad) information ad) base)) and (nam\$4) same (stor\$4 sav\$4) same table) 14366 dns (domain adj name adj system) USPAT; EBWC 10:22 DERWENT; IBM TDB (database and (mib (management adj information adj base)) and (nam\$4 same address\$4 sav\$4) same (database table) The most of the mo				IBM TDB	
management adj informaiotn adj base)) and ((nam*4) same (stor\$4 sav\$4) same USPAT; EPO; JPO; DERWENT; IBM TDB USPAT; EPO; JPO; DER	-	15	((mac (media adj access adj control))	USPAT;	2002/10/03
and ((nam\$4) same (stor\$4 sav\$4) same IBM_TDB					14:06
table) dns (domain adj name adj system) USPAT; EPO; JPO; DERWENT; IBM TDB USPAT; IB			(management adj informaiotn adj base)))	· ·	
14366 dns (domain adj name adj system)	•			IBM_TDB	į
8 (dns (dcmain adj name adj system) and (database and (mib (management adj informaiotn adj base)) and (nam\$4 same address\$4 same (sav4* stor\$4) same (database table)) and (nam\$4 same address\$4 same (sav4* stor\$4) same (save* stable) and (mam\$4 same address\$4 adj7 nam\$4 USPAT; EPO; JPO; DERWENT; IBM TDB (map\$5 adj7 address\$4 adj7 nam\$4) and (mib (management adj informaiotn adj base)) and (somain adj name adj (server system)) and (configuration near4 table) and (sourc\$4 near10 address\$4) USPAT; EPO; JPO; DERWENT; IBM TDB (SPAT; system)) and (configuration near4 table) and (sourc\$4 near10 address\$4) USPAT; EPO; JPO; DERWENT; IBM TDB (SPAT; address\$4)) and ((mac (media adj access adj control)) and (address\$4) and ((((stor\$4 sav\$4)) same (source near4 address\$4)) and (((stor\$4 sav\$4)) same (source near4 address\$4)) ame (source near4 address\$4)) ame (source near4 address\$4)) ame (source near4 address\$4) Same (source near4 address\$4)) ame (source near4 address\$4) Same (source near4 address\$4)) same (source near4 address\$4) same (source near4 address\$4)) same (source near4 address\$4)) same (source near4 address\$4) Same (source near4 address\$		1.055	·		2000 (10 (00
Constraint Con	-	14366	dns (domain adj name adj system)		
8					10:22
Comparison of the property o	1				
(database and (mib (management adj information adj base)) and (nam\$4 same address\$4 same (sav\$4 stor\$4) same (database table))	1_	0	(dns (domain adi nama adi accetam)) and		2002/10/03
informaiotn adj base)) and (nam\$4 same address\$4 same (sav\$4 stor\$4) same (database table))	-	8			I ' '
address\$4 same (sav\$4 stor\$4) same (database table)					10.30
(database table)					
144					
Sepo; JPO; DERWENT; IBM TDB 10:47	_	144		USPAT;	2002/10/03
Solution				1	1 ' ' 1
B				DERWENT;	
(mib (management adj informaiotn adj base) DERWENT; IBM TDB 2002/10/03 11:40 DERWENT; IBM TDB DE		:		IBM_TDB	
DERWENT; IBM TDB USPAT; Candidates USPAT; US	-	8	(map\$5 adj7 address\$4 adj7 nam\$4) and	USPAT;	2002/10/03
- 37 (dns (domain adj name adj (server system))) and (configuration near4 table) and (sourc\$4 near10 address\$4) - 6147 ((stor\$4 sav\$4) same (source near4 address\$4)) and ((mac (media adj access adj control)) near10 address\$4) - 198 ((mac (media adj access adj control)) near10 address\$4) and ((((stor\$4 sav\$4) same (source near4 address\$4))) same (source near4 address\$4)) same (table database)) and (database and (mib (management adj informaiotn adj base))) and (address\$4) and ((((stor\$4 sav\$4) same (source near4 address\$4))) same (table database)) and (database and (mib (management adj informaiotn adj base))) and (address\$4) and ((((stor\$4 sav\$4) same (source near4 address\$4))) same (source near4 address\$4)) same (source near4 address\$4) same (source near4				EPO; JPO;	10:47
- (dns (domain adj name adj (server system))) and (configuration near4 table) and (sourc\$4 near10 address\$4) - ((stor\$4 sav\$4) same (source near4 address\$4)) - ((stor\$4 sav\$4) same (source near4 address\$4)) - ((stor\$4 sav\$4) same (source near4 address\$4)) and ((mac (media adj access adj control)) near10 address\$4) - ((mac (media adj access adj control)) near10 address\$4) same (source near4 address\$4)) same (table database)) and (database and (mib (management adj informaiotn adj base))) and (address\$4) and ((((stor\$4 sav\$4)) same (source near4 address\$4))) same (source near4 address\$4)) same (source near5 adj control)) same (source near6 address\$4) same (source near7 address\$4) same (source near8 address\$4)) same (source near9 address\$4) same (source near9 address\$4) same (source near9 address\$4)) same (source near9 address\$4) same (source near9 address\$4)) same (source near9 address\$4)) same (source near9 address\$4) same (source near9 address\$4)) same (source near9 address\$4) same (source near9 address\$4)) same (source near9 address\$4) same (source near9 address\$4)			base))		
System) and (configuration near4 table) and (sourc\$4 near10 address\$4) EPO; JPO; DERWENT; IBM TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; IBM_TDB U				_	
- 6147 ((stor\$4 sav\$4) same (source near4 address\$4)) - 506 (((stor\$4 sav\$4) same (source near4 address\$4)) and ((mac (media adj access adj control)) near10 address\$4) and (((stor\$4 sav\$4)) same (source near4 address\$4)) same (source near4 address\$4)) same (source near4 saddress\$4)) same (source near4 address\$4)) same (source near4 address\$4)) same (source near4 address\$4)) same (table database)) ((mac (media adj access adj control)) near10 address\$4) and ((((stor\$4 sav\$4) same (source near4 address\$4))) same (table database)) and (database and (mib (management adj informaiotn adj base))) ((mac (media adj access adj control)) near10 address\$4) and ((((stor\$4 sav\$4)) same (source near4 address\$4))) same (source near4 address\$4))) same (source near4 address\$4)) same	-	37		1	1 1
Comparison					11:40
- 6147 ((stor\$4 sav\$4) same (source near4 address\$4)) - 506 (((stor\$4 sav\$4) same (source near4 address\$4))) and ((mac (media adj access adj control)) near10 address\$4) and ((((stor\$4 sav\$4) same (source near4 sadvess\$4))) same (source near4 address\$4)) same (source near4 address\$4))) same (table database)) - 25 ((mac (media adj access adj control)) near10 address\$4) and ((((stor\$4 sav\$4) same (source near4 address\$4))) same (table database)) and (database and (mib (management adj informaiotn adj base))) and (address\$4) and ((((stor\$4 sav\$4) same (source near4 address\$4))) same (table database)) and (((stor\$4 sav\$4) same (source near4 address\$4))) same (table database)) and (((stor\$4 sav\$4) same (source near4 address\$4))) same (table database)) and (((stor\$4 sav\$4) same (source near4 address\$4))) same (table database)) and ((stor\$4 sav\$4) same (source near4 address\$4))) same (table database)) and ((stor\$4 sav\$4) same (source near4 address\$4))) same (table database)) and (database and (mib (management adj informaiotn adj base))) and (address\$4 near10 pool\$4) - 5 ((mac (media adj access adj control)) near10 address\$4) and ((database and (mib (management adj informaiotn adj base))) and (address\$4) and (database and (mib (management adj informaiotn adj base))) and (address\$4) and (database and (mib (management adj informaiotn adj base))) and (address\$4) and (database and (mib (management adj informaiotn adj base))) and (address\$4) and (database and (mib (management adj informaiotn adj base))) and (address\$4) and (database and (mib (management adj informaiotn adj base))) and (address\$4) and (database and (mib (management adj informaiotn adj base))) and (address\$4) and (database and (mib (management adj informaiotn adj base))) and (address\$4) and			and (sourc\$4 near10 address\$4)		
address\$4)		6147	(/		2002/10/03
- 506 (((stor\$4 sav\$4) same (source near4 address\$4))) and ((mac (media adj access adj control)) near10 address\$4) - 198 ((mac (media adj access adj control)) near10 address\$4) and ((((stor\$4 sav\$4) same (source near4 address\$4))) same (table database)) ((mac (media adj access adj control)) near10 address\$4) and ((((stor\$4 sav\$4) same (source near4 address\$4))) same (table database)) and (database and (mib (management adj informaiotn adj base))) ((mac (media adj access adj control)) near10 address\$4) and ((((stor\$4 sav\$4) same (source near4 address\$4))) same (table database)) and ((((stor\$4 sav\$4) same (source near4 address\$4))) same (table database)) and ((((stor\$4 sav\$4) same (source near4 address\$4))) same (table database)) and ((((stor\$4 sav\$4) same (source near4 address\$4))) same (table database)) and ((adabase and (mib (management adj informaiotn adj base))) and (address\$4 near10 pool\$4) (USPAT; 2002/10/03 l3:37) lbm_TDB	_	014/		(1
- 506 (((stor\$4 sav\$4) same (source near4 address\$4))) and ((mac (media adj access adj control)) near10 address\$4) - 198 ((mac (media adj access adj control)) near10 address\$4) and (((stor\$4 sav\$4) same (source near4 address\$4))) same (table database)) ((mac (media adj access adj control)) uspAT; 2002/10/03 near10 address\$4) and (((stor\$4 sav\$4) same (source near4 address\$4))) same (table database)) and (database and (mib (management adj informaiotn adj base))) and (address\$4) and (((stor\$4 sav\$4) same (source near4 address\$4))) same (table database)) and (database and (mib (management adj informaiotn adj base))) and (address\$4 near10 pool\$4) - 5 ((mac (media adj access adj control)) near10 address\$4) and (database and (mib (management adj informaiotn adj base))) and (address\$4 near10 pool\$4) - 5 ((mac (media adj access adj control)) near10 address\$4) and (database and (mib (management adj informaiotn adj base))) and (address\$4 near10 pool\$4) and (a			addlessyl)		11.54
198				· ·	
address\$4))) and ((mac (media adj access adj control)) near10 address\$4) 198 ((mac (media adj access adj control)) near10 address\$4) and ((((stor\$4 sav\$4) same (source near4 address\$4))) same (table database)) ((mac (media adj access adj control)) near10 address\$4) and ((((stor\$4 sav\$4) same (source near4 address\$4))) same (table database)) and ((stor\$4 sav\$4) same (source near4 address\$4))) same (table database)) and (database and (mib (management adj informaiotn adj base))) ((mac (media adj access adj control)) near10 address\$4) and ((((stor\$4 sav\$4) same (source near4 address\$4))) same (table database)) and (database and (mib (management adj informaiotn adj base))) and (address\$4 near10 pool\$4) ((mac (media adj access adj control)) near10 address\$4) and (database and (mib (management adj informaiotn adj base))) and (address\$4 near10 pool\$4) (USPAT; and (address\$4 near10 pool\$4) and (DERWENT; and (address\$4 near10 pool\$4) and (address\$4 near10 pool\$	_	506	(((stor\$4 sav\$4) same (source near4		2002/10/03
adj control)) near10 address\$4) ((mac (media adj access adj control)) near10 address\$4) and ((((stor\$4 sav\$4)) same (source near4 address\$4))) same (table database)) ((mac (media adj access adj control)) near10 address\$4) and ((((stor\$4 sav\$4)) same (source near4 address\$4))) same (table database)) and ((stor\$4 sav\$4) same (table database)) and (database and (mib (management adj informaiotn adj base))) ((mac (media adj access adj control)) near10 address\$4) and ((((stor\$4 sav\$4) same (management adj informaiotn adj base))) and (address\$4) and (((stor\$4 sav\$4) same (table database)) and ((stor\$4 sav\$4) same (table database)) and (database and (mib (management adj informaiotn adj base))) and (address\$4 near10 pool\$4) ((mac (media adj access adj control)) near10 address\$4) and (database and (mib (management adj informaiotn adj base))) and (address\$4 near10 pool\$4) (management adj informaiotn adj base))) and (address\$4 near10 pool\$4) and DERWENT; IBM_TDB 2002/10/03 EPO; JPO; 13:37 DERWENT; IBM_TDB				· ·	1 ' '
- 198 ((mac (media adj access adj control)) near10 address\$4) and ((((stor\$4 sav\$4))	1		adj control)) near10 address\$4)		
- 198 ((mac (media adj access adj control)) near10 address\$4) and ((((stor\$4 sav\$4)) same (table database)) ((mac (media adj access adj control)) near10 address\$4) and ((((stor\$4 sav\$4)) same (source near4 address\$4))) same (table database)) and (((stor\$4 sav\$4)) same (table database)) and (database and (mib (management adj informaiotn adj base))) ((mac (media adj access adj control)) near10 address\$4) and ((((stor\$4 sav\$4)) same (((stor\$4 sav\$4)) same ((mac (media adj access adj control)) same (source near4 address\$4))) same (table database)) and (database and (mib (management adj informaiotn adj base))) and (address\$4 near10 pool\$4) ((mac (media adj access adj control)) near10 address\$4) and ((database and (mib (management adj informaiotn adj base))) (management adj informaiotn adj base))) and (address\$4 near10 pool\$4) (management adj informaiotn adj base))) and (address\$4 near10 pool\$4) and DERWENT; IBM_TDB			-		
same (source near4 address\$4))) same (table database)) ((mac (media adj access adj control)) near10 address\$4) and ((((stor\$4 sav\$4)) same (source near4 address\$4))) same (table database)) and (database and (mib (management adj informaiotn adj base))) ((mac (media adj access adj control)) near10 address\$4) and ((((stor\$4 sav\$4)) same (source near4 address\$4))) same (table database)) and (database and (mib (management adj informaiotn adj base))) and (address\$4 near10 pool\$4) ((mac (media adj access adj control)) near10 address\$4) and (database and (mib (management adj informaiotn adj base))) and (address\$4 near10 pool\$4) ((mac (media adj informaiotn adj base))) and (address\$4 near10 pool\$4) and DERWENT; IBM_TDB 2002/10/03 13:03 2002/10/03 13:37 DERWENT; IBM_TDB	-	198		USPAT;	2002/10/03
<pre>(table database)) ((mac (media adj access adj control)) near10 address\$4) and ((((stor\$4 sav\$4)</pre>			near10 address\$4) and ((((stor\$4 sav\$4)		11:56
((mac (media adj access adj control)) near10 address\$4) and ((((stor\$4 sav\$4)) same (source near4 address\$4))) same (table database)) and (database and (mib (management adj informaiotn adj base))) ((mac (media adj access adj control)) near10 address\$4) and ((((stor\$4 sav\$4)) same (source near4 address\$4))) same (table database)) and (database and (mib (management adj informaiotn adj base))) and (address\$4 near10 pool\$4) ((mac (media adj access adj control)) near10 address\$4) and (database and (mib (management adj informaiotn adj base))) and (address\$4 near10 pool\$4) (management adj informaiotn adj base))) and (address\$4 near10 pool\$4) and DERWENT; and (address\$4 near10 pool\$4) and DERWENT; and (address\$4 near10 pool\$4) and				· ·	
near10 address\$4) and ((((stor\$4 sav\$4) same (source near4 address\$4))) same (table database)) and (database and (mib (management adj informaiotn adj base))) ((mac (media adj access adj control)) USPAT; 2002/10/03 near10 address\$4) and ((((stor\$4 sav\$4) EPO; JPO; JPO; same (source near4 address\$4))) same (table database)) and (database and (mib (management adj informaiotn adj base))) and (address\$4 near10 pool\$4) ((mac (media adj access adj control)) USPAT; 2002/10/03 near10 address\$4) and (database and (mib (management adj informaiotn adj base))) DERWENT; and (address\$4 near10 pool\$4) and IBM_TDB					0000 400 455
same (source near4 address\$4))) same (table database)) and (database and (mib (management adj informaiotn adj base))) ((mac (media adj access adj control))	-	25			
<pre>(table database)) and (database and (mib</pre>					13:03
<pre>(management adj informaiotn adj base))) ((mac (media adj access adj control)) near10 address\$4) and ((((stor\$4 sav\$4) EPO; JPO; same (source near4 address\$4))) same (table database)) and (database and (mib (management adj informaiotn adj base))) and (address\$4 near10 pool\$4) ((mac (media adj access adj control)) near10 address\$4) and (database and (mib (management adj informaiotn adj base))) (management adj informaiotn adj base))) (management adj informaiotn adj base))) and (address\$4 near10 pool\$4) and IBM_TDB</pre>]			
- 5 ((mac (media adj access adj control)) near10 address\$4) and ((((stor\$4 sav\$4)) same (source near4 address\$4))) same (table database)) and (database and (mib (management adj informaiotn adj base))) and (address\$4 near10 pool\$4) ((mac (media adj access adj control)) near10 address\$4) and (database and (mib (management adj informaiotn adj base))) (management adj informaiotn adj base))) and (address\$4 near10 pool\$4) and USPAT; 2002/10/03 13:37 USPAT; 2002/10/03 13:39 DERWENT; and (address\$4 near10 pool\$4) and IBM_TDB				TOM_TOP	
near10 address\$4) and ((((stor\$4 sav\$4) same (source near4 address\$4))) same (table database)) and (database and (mib (management adj informaiotn adj base))) and (address\$4 near10 pool\$4) ((mac (media adj access adj control)) USPAT; 2002/10/03 near10 address\$4) and (database and (mib (management adj informaiotn adj base))) DERWENT; and (address\$4 near10 pool\$4) and IBM_TDB	_			ייעמטאוו	2002/10/03
same (source near4 address\$4))) same (table database)) and (database and (mib (management adj informaiotn adj base))) and (address\$4 near10 pool\$4) 5 ((mac (media adj access adj control)) near10 address\$4) and (database and (mib (management adj informaiotn adj base))) (management adj informaiotn adj base))) and (address\$4 near10 pool\$4) and DERWENT; IBM_TDB					
(table database)) and (database and (mib (management adj informaiotn adj base))) and (address\$4 near10 pool\$4) ((mac (media adj access adj control)) USPAT; 2002/10/03 near10 address\$4) and (database and (mib (management adj informaiotn adj base))) DERWENT; and (address\$4 near10 pool\$4) and IBM_TDB					10.07
<pre>(management adj informaiotn adj base))) and (address\$4 near10 pool\$4) -</pre>					
and (address\$4 near10 pool\$4) ((mac (media adj access adj control)) near10 address\$4) and (database and (mib EPO; JPO; (management adj informaiotn adj base))) (management adj informaiotn adj base))) and (address\$4 near10 pool\$4) and IBM_TDB					
- 5 ((mac (media adj access adj control)) USPAT; 2002/10/03 near10 address\$4) and (database and (mib EPO; JPO; 13:39 (management adj informaiotn adj base))) DERWENT; and (address\$4 near10 pool\$4) and IBM_TDB					
near10 address\$4) and (database and (mib EPO; JPO; 13:39 (management adj informaiotn adj base))) DERWENT; and (address\$4 near10 pool\$4) and IBM_TDB		5		USPAT;	2002/10/03
(management adj informaiotn adj base))) DERWENT; and (address\$4 near10 pool\$4) and IBM_TDB			near10 address\$4) and (database and (mib	·	
			<pre>(management adj informaiotn adj base)))</pre>		
((stor\$4 adj5 forward\$4) same (table				IBM_TDB	
database))		<u> </u>	database))		<u> </u>

	25	((mac (media adj access adj control))	USPAT;	2002/10/03
_	25	near10 address\$4) and (((stor\$4 sav\$4)	EPO; JPO;	14:05
		same (source near4 address\$4))) same	DERWENT;	14.05
		1		
		(table database)) and (database and (mib	IBM_TDB	
		(management adj informaiotn adj base)))	i	0000 (10 (00
-	20	((mac (media adj access adj control))	USPAT;	2002/10/03
		near10 address\$4) and (database and (mib	EPO; JPO;	14:20
		(management adj informaiotn adj base)))	DERWENT;	1
		and ((source adj4 address\$4) same	IBM_TDB	
		(stor\$4 sav\$4) same table)		
_	14547	dns (domain adj name adj (server system))	USPAT;	2002/10/03
			EPO; JPO;	15:50
		•	DERWENT;	
			IBM TDB	
_	15	(dns (domain adj name adj (server	USPĀT;	2002/10/03
		system))) and (address\$4 near10 pool\$4)	EPO; JPO;	16:19
		and (mib (management adj informaiotn adj	DERWENT;	[
	1	base))	IBM TDB	
_	178	(dns (domain adj name adj (server	USPAT;	2002/10/03
		system))) and ((stor\$4 adj6 forward)	EPO; JPO;	16:20
		store-and-forward\$4)	DERWENT;	
		, , , , , , , , , , , , , , , , , , , ,	IBM TDB	
_	50	((dns (domain adj name adj (server	USPAT;	2002/10/03
		system))) and ((stor\$4 adj6 forward)	EPO; JPO;	16:20
		store-and-forward\$4)) and (rout\$4 near7	DERWENT;	10.20
		table)	IBM TDB	
_	31	(((dns (domain adj name adj (server	USPAT;	2002/10/03
_] 31	system))) and ((stor\$4 adj6 forward)	EPO; JPO;	16:21
				10.21
		store-and-forward\$4)) and (rout\$4 near7	DERWENT;	
		table)) and (rout\$4 near6 table) and	IBM_TDB	
		(group\$4 same address\$4) and (dns (domain		
		adj name adj (server system)))		1 2 2 2 4 2 4 2 2
_	17	((((dns (domain adj name adj (server	USPAT;	2002/10/03
		system))) and ((stor\$4 adj6 forward)	EPO; JPO;	16:22
		store-and-forward\$4)) and (rout\$4 near7 .	DERWENT;	
		table)) and (rout\$4 near6 table) and	IBM_TDB	
	1	(group\$4 same address\$4) and (dns (domain	_	
		adj name adj (server system)))) and		
		((rout\$4 near10 table) same (stor\$4		
	· .	sav\$4))		